# **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.





1000

Westinglen D

# WHOLESALE TRADE-LIST

# SPRING 1905

# BAY STATE NURSERIES

Windsor H. Wyman

North Abington, Massachusetts

# QUICK TRANSPORTATION TO NEW YORK, BOSTON AND THE WEST.

Our Nurseries are so located that consignments to either New York or Boston points arrive in these cities next morning after leaving the nursery. Shipments to New York points leaving here at noon, travel by Fall River Line Steamers, arriving in New York at seven o'clock the following morning, and are promptly forwarded to consignee. Goods for Boston points leave here in the evening and are delivered in Boston by N. Y., N. H. & H. R. R. the following morning. We have forwarding agents in both cities who see that no delay occurs in the delivery of our goods.

#### THE PACKING SEASON

The spring packing and shipping season usually opens here about the 1st of April and continues until the middle of May.

Evergreens may be moved at any time until about June 1st.

#### DIRECTIONS FOR SHIPPING

Parties ordering are requested to state explicitly the mode of conveyance by which they desire their stock forwarded.

When no route is designated, we exercise our judgment; but in no case do we assume any responsibility after packages are shipped, unless for our own mistakes. When losses occur by detention, claims should at once be made on the forwarder.

# INSPECTOR'S CERTIFICATE ACCOMPANIES EVERY SHIPMENT

#### CONDITIONS OF SALE

First.—The articles on the following list will be furnished at the annexed prices only when the quantity specified shall be taken. Five hundred will be furnished at the thousand rate; fifty at the hundred rate; and five at the rate per ten. Single plants at double the rate per hundred.

Second.—While we exercise the greatest care to have all Trees, Shrubs and Plants genuine and reliable, and hold ourselves prepared to replace, on proper proof, all that prove untrue, we do not give any warranty, expressed or implied; and in case of any error on our part, it is mutually agreed between the purchaser and ourselves that we shall not at any time be held responsible for a greater amount than the original price of the goods. No complaints will be considered that are not made within ten days after receipt of stock.

Third.—The prices annexed do not include the boxes or bales. A charge equal only to the actual cost of the boxes or the material used in baling is made. No charge for conveyance to freight station.

Our terms are cash, unless by special agreement. We can ship by express C. O. D., when desired, with charges for collection added to the bill,—provided 20 per cent. of the amount of the order accompanies the same as a guarantee. Said guarantee will be required only from parties with whom we have no business acquaintance. All bills remaining unpaid December 1st in fall and June 1st in spring, will be subject to sight draft without further notice.

# Ornamental Department

Note.—In compiling this list, we have endeavored to include only such varieties of stock as we now have in our nurseries, in the sizes and quantity offered. In filling orders, we shall grade stock according to these specifications. Should orders be received for sizes not found in this list, or should any specified grade be exhausted, we will send the nearest size we have in stock at the time the order is received and charge accordingly, unless otherwise advised.

### FLOWERING SHRUBS

Per 10

Per 100

|   | Per | 10 Per 100 |
|---|-----|------------|
| ALMOND. See Prunus sinensis.                              |     |            |
| ALTHEA. See Hibiscus.                                     |     |            |
| AMELANCHIER. See deciduous trees, page                    | TE  |            |
| AMODRITA Postand Indian                                   | 13. |            |
| AMORPHA. Bastard Indigo.                                  |     |            |
| fruiticosa. False Indigo.                                 |     |            |
| 3 to 4 ft   |     |            |
| 4 to 5 ft   | I 5 | 0 12 00    |
| ANDROMEDA.  |     |            |
| racemosa. 2½ to 3 ft                                      | 2 5 | 0          |
| ARALIA, Angelica Tree.                                    |     |            |
| pentaphylla. Five-leaved Aralia.                          |     |            |
| 2 to 2½ ft  | I 0 | 0 8 00     |
| 3 to 4 ft   | I 2 | 0 00 0     |
| spinosa. See deciduous trees, page 16.                    |     |            |
| AZALEA.   |     |            |
| ghent. Named colors, 18 to 24 in                          | 6 5 | 0          |
| "Named varieties, double and single                       | 7 5 |            |
|   | 4 0 |            |
| mollis. 18 to 24 in., mixed                               | 4 0 | 0 35 00    |
| " named colors, yellow, salmon, red, orange,              |     |            |
| rose, etc   | 4 5 |            |
| Native varieties, 2 to 3 ft                               | 3 5 | 0 30 00    |
| BACCHARIS. Groundsel Tree.                                |     |            |
| halimifolia. 3 ft   | I O | 0 8 00     |
| BERBERIS. Barberry.                                       |     |            |
| Thunbergii. Japanese Barberry.                            |     |            |
| 12 to 15 in. \$50 00 per M                                |     | 6 00       |
| Thunbergii. Japanese Barberry. 12 to 15 in. \$50 oo per M |     | 7 00       |
| 18 to 24 in. \$80 00 " 24 to 30 in                        | I 2 | 0 9 00     |
| 24 to 20 in   | 2 0 | -          |
| vulgaris. Common Barberry.                                |     |            |
| 18 to 24 in   | I 0 | 0 7 00     |
|   | I 2 |            |
| 2 to 3 ft   | 1 2 | 0 10 00    |
| vulgaris var. purpurea. Purple-leaved Bar-                |     |            |
| berry. 18 to 24 in  | I O |            |
| 2 to 3 ft   | I 0 | -          |
| 3 to 4 ft   | I 2 | 0 10 00    |
| BENZOIN.  |     |            |
| odoriferum. Spice Bush. 2 to 3 ft                         | I 2 | 0          |
| BUDDLEIA.   |     |            |
| variabilis. 3 ft  | I 2 | 0          |
|   |     |            |
|   |     |            |

|   | Per 10       | Per 100 |
|---|--------------|---------|
| BAYBERRY. See Myrica.   |              |         |
| CALYCANTHUS. Sweet Shrub.   |              |         |
| floridus. Carolina allspice. 18 to 24 in  | \$1 20       | \$10 00 |
| 24 to 30 in   | I 50         | 12 00   |
| CARAGANA. Siberian Pea.   |              |         |
| arborescens. 3 to 4 ft  | I 20         | 10 00   |
| 4 to 5 ft.  CEANOTHUS. New Jersey Tea.  Americanus. Red Root. 2 ft              | I 50         |         |
| CEANOTHUS. New Jersey Tea.  |              |         |
| Americanus. Red Root. 2 ft  | I 20         | 10 00   |
| CELTIS. See deciduous trees, page 17.   |              |         |
| CEPHALANTHUS. Button Bush.  |              |         |
| occidentalis. 2 to 3 ft   | I 00         | 8 00    |
| 3 to 3½ ft  | I 50         |         |
| CERCIS. See deciduous trees, page 17.   |              |         |
| CHIONANTHUS. See deciduous trees, page  | 7.           |         |
| CLETHRA. White Alder.   |              |         |
| alnifolia. Sweet Pepper Bush. 2 to 21/2 ft                                      | I 20         | 10 00   |
| 2½ to 3 ft  | I 50         |         |
| COLUTEA. Bladder Senna.   | -            |         |
| COLUTEA. Bladder Senna.<br>aborescens. 3 to 4 ft                                | I 20         | 8 00    |
| COMPTONIA. Sweet Fern.  |              |         |
| asplenifolia. 18 to 24 in   | I 00         | 8 00.   |
| CORNUS. Cornel or Dogwood.  |              |         |
| alba. Siberian Dogwood. 2 to 3 ft   | I 00         | 8 00    |
| 3 to 4 ft  alba. var. elegantissima. Variegated-leaved. 2 to 2½ ft              | I 20         | 10 00   |
| alba. var. elegantissima. Variegated-   |              |         |
| leaved. 2 to 2 ½ ft   | 2 00         | 15 00   |
| 2 1/2 10 3 11   | 2 50         | 20 00   |
| alternifolia. 4 to 5 ft   | 2 50         | 20 00   |
| circinata. Round-leaved Dogwood.  |              |         |
| 2 to 3 ft   | 1 50         |         |
| mascula. Cornelian Cherry. 2 to 3 ft  | 1 00         | 8 oo    |
| 3 to 4 ft   | I 20         | 10 00   |
| paniculata. Gray Dogwood. 2 to 3 ft   | I 20         | 10 00   |
| 3 to 4 ft   | 1 50         | 12 00   |
| sanguinea. Red Osier. 2 to 3 ft   | I 00         | 8 00    |
| 3 to 4 It   | I 20         | 10 00   |
| sericea. Silky Cornel.  |              |         |
| 2 to 3 ft. \$30 00 per M  |              | 5 00    |
| 3 to 4 ft. 50 00 per M  |              | 6 00    |
| 4 to 5 ft.  | I OC         | 8 00    |
| Spæthii (Variegated Yellow.) 2 to 3 ft stolonifera. Spreading Cornel. 2 to 3 ft | I 50         |         |
| stolonifera. Spreading Cornel. 2 to 3 ft  | I 20         | 10 00   |
| s. var. aurea. Golden-barked Cornel.  |              |         |
| 2 to 3 ft   | 1 50         | 10 00   |
| CORYLUS. Filbert.   |              |         |
| Avellana var. purpurea. Purple Hazel.   |              |         |
| 2 to 2½ ft  | 2 00         |         |
| CYDONÍA. Japan Quince.<br>Japonica. 18 to 24 in                                 |              | 0       |
| Japonica. 10 to 24 in   | I 00         | 8 00    |
| 24 to 30 iu   | I 20         | 10 00   |
| DECODON.  | 1 00         | 8 00    |
|   | 7 50         |         |
| verticillata. Strong plants <b>DESMODIUM.</b> (See Lespedeza.)                  | 1 50         | 10 00   |
| DEUTZIA.  |              |         |
| crenata. 2 to 3 ft  | T 00         | 6 oo    |
| 3 to 4 ft   | I 00<br>I 20 | 8 co    |
| c. var. Pride of Rochester. 2 to 3 ft   | I 00         | 7 00    |
| 3 to 4 ft   | I 20         | 8 00    |
| O   | 1 20         | 3 00    |

|   | Per 10        | Per 100        |
|---|---------------|----------------|
| gracilis. 12 to 15 in   | <b>\$1</b> 00 | <b>\$ 6</b> 00 |
| 15 to 18 in   | I 00          | 8 00           |
| 18 to 24 in   | I 20          | 10 00          |
| g. var. rosea. 18 to 24 in  | I 50          | 12 00          |
| Lemoinei. 2 to 3 ft   | I 20          | 10 00          |
| 3 to 4 ft  DIERVILLA. Weigela.  | I 50          |                |
| DIERVILLA, Weigela  | - 5-          |                |
| candida. White Weigela. 2 to 21/2 ft  | I 20          |                |
| hortensis var. rubra. Bright Red. 2 to 3 ft.  |               | TO 00          |
| a to 4 ft   | I 20          | 10 00          |
| 3 to 4 ft  hybrida Desboisi. Deep rose. 3 to 4 ft  h. Eva Rathke. Dark-red. 2 to 2½ ft                            | 1 50          |                |
| nybrida Despoisi. Deep rose. 3 to 4 it  | 2 00          | 15 00          |
| h. Eva Rathke. Dark-red. 2 to 2½ ft   | 2 00          | 15 00          |
| h. Lavallei. Reddish-purple. 2 to 3 ft  | I 50          |                |
| h. Mme. Tillier. Pale-rose. 3 to 4 ft   | I 50          | 12 00          |
| h. Lavallei. Reddish-purple. 2 to 3 ft h. Mme. Tillier. Pale-rose. 3 to 4 ft h. Mons. Lemoine. Flesh, changing to |               |                |
| deep-red. 2 to 3 ft   | I 20          | 10 00          |
| 2 to 4 ft   | 1 50          |                |
| Kosteriana foliis variegatis. Variegated.   | - 0           |                |
| Kosteriana foliis variegatis. Variegated-leaved Weigela. 2 to 3 ft  | T 50          | T2 00          |
| k. var. Sieholdi alba marginata ataa ft   | I 50          | 12 00          |
| k. var. Sieboldi alba marginata. 2 to 3 ft. rosea. Rose-colored Weigela. 2 to 3 ft                                | 1 50          | I2 00          |
| Tosea. Rose-colored Weigela. 2 to 3 it  | 1 50          | 12 00          |
| 3 to 4 ft   | 2 60          | 15 00          |
| r. var. floribunda. Rich crimson.   |               |                |
| 2 to 3 ft   | I 20          | 10 00          |
| 3 to 4 ft   | I 50          | 12 00          |
| ELÆAGNUS. Oleaster.   |               |                |
| longipes. 18 to 24 in   | I 20          | 12 00          |
| hortensis. Silvery foliage, 3 to 4 ft   | 1 50          |                |
| EUONYMUS. Strawberry Tree.  | - 0-          |                |
| Americanus. Strawberry Bush. 2 to 3 ft  | I 20          |                |
| Th  | 1 20          |                |
| A to r ft engamens  | 2 00          | 75.00          |
| A to 5 ft., specimens   | 2 00          | 15 00          |
| nanus. Prostrate Euonymus. 18 to 24 in  | I 20          | 10 00          |
| 1/11/0 CITOTONI I CUIT DUSIN  |               |                |
| grandiflora. 3 to 4 ft  | 2 00          | 15 00          |
| FORSYTHIA. Golden Bell.   |               |                |
| <b>Fortunei.</b> 3 to 4 ft  | I 20          | 10 00          |
| 4 to 5 ft   | I 50          | I2 00          |
| intermedia. (Resembles suspensa.)   |               |                |
| 3 to 4 ft   | I 20          | 10 00          |
| 4 to 5 ft   | I 50          | 12 00          |
| suspensa. Weeping Forsythia. 3 to 4 ft  | I 20          | 10 00          |
| 4 to 5 ft   | I 50          | 12 00          |
|   | 1 00          | 8 00           |
| viridissima. 2 to 3 ft  |               |                |
| 3 to 4 it   | I 20          | 10 00          |
| GENISTA. Broom. scoparia Scotch Broom. 2 to 3 ft tinctoria. 2 to 3 ft   |               |                |
| scoparia Scotch Broom. 2 to 3 it  | 1 50          | •              |
| tinctoria. 2 to 3 ft  | I OO          | 8 00           |
| GLEDITSCHIA. Honey Locust. (See under   |               |                |
| trees)  |               |                |
| HAMAMELIS. Witch Hazel.   |               |                |
| Virginica. 2 to 3 ft  | I 20          | 10 00          |
| 3 to 4 ft   | I 50          | 12 00          |
| HALESIA. Silver Bell.   | _             |                |
| tetraptera. 2 to 3 ft   | I 50          | 10 00          |
| 3 to 4 ft   | 2 00          |                |
| 4 to f ft   | 3 00          |                |
| HIBISCUS. Althæaor Rose of Sharon.  | 3 00          |                |
| Onlean of to aft Mired colors   | T 00          |                |
| Syriacus. 2 to 3 ft. Mixed colors   | I 00          |                |

|  | P    | er 10           | Per  | 100 |
|--|------|-----------------|------|-----|
| S. alba plena. Double-white Althæa.  |      |                 | 101  |     |
| 2½ to 3 ft   | \$ r | 20              | \$10 | 00  |
| 3 to 4 ft  |      | 50              | 12   | 00  |
| S. Boule de Feu. Double-red. 3 to 4 ft   | 1    | 50              | 12   | 00  |
| S. Cœlestis. Single Violet. 2 to 3 ft  |      | 50              | 12   | 00  |
| S. Duchess de Brabrant. Double Pink,   |      |                 |      |     |
| 2 to 3 ft  |      | 20              |      | 00  |
| 3 to 4 ft  | I    | 50              | 12   | 00  |
| S. fl. pl. foliis variegatis. Variegated-  |      | <b>.</b>        |      |     |
| leaved. 2 to 3 ft  | 1    | 50              | 12   | 00  |
| 2 to 3 ft  | т    | 20              | 10   | 00  |
| S. Lady Stanley. Double blush white.   | 1    | 20              | 10   | 00  |
| 2 to 3 ft  | T    | 20              | 10   | СО  |
| 2 to 3 ft  S. purpurea flore plena. Double purple.                                       | -    |                 | 10   | 00  |
| 3 to 4 ft  | I    | 50              |      |     |
| 3 to 4 ft  S. rubra plena. Double red. 3 to 4 ft  S. variegatis flore plena. Double var- |      | 50              | 12   | 00  |
| S. variegatis flore plena. Double var-   |      |                 |      |     |
| legated. 2½ to 3 it  | 1    | 50              | 12   | 00  |
| HIPPOPHÆ. Sea Buckthorn.   |      |                 |      |     |
| rhamnoides. 2 to 3 ft  |      | 00              |      |     |
| 3 to 4 ft  | 1    | 50              |      |     |
| HYDRANGEA.   |      | 00              | 0    | 0.0 |
| nivea or radiata. 2 to 3 ft  |      | 00<br><b>20</b> |      | 00  |
| 3 to 4 ft paniculata. 3 to 4 ft  |      | có              |      | 00  |
| paniculata var. grandiflora. 2 to 2½ ft  |      | 00              |      | 00  |
| 2½ to 3 ft   |      | 00              |      | 00  |
| 3 to 3½ ft   |      | 50              | 12   |     |
| 3 to 3½ ft   |      | 00              | 25   |     |
| HYPERICUM. St. John's Wort.  | Ü    |                 |      |     |
| aureum. 2 to 3 ft  | I    | 50              |      |     |
| densiflorum. 2 to 2½ ft  |      | 50              | 12   | 00  |
| Mosieranum. 12 to 18 in  | I    | 20              |      |     |
| ILEX. Holly.   | _    |                 | 0    |     |
| verticillata. Black Alder. 2 to 3 ft   |      | co              | 8    | 00  |
| 3 to 3½ ft   | 1    | 50              |      |     |
| Japonica. Japan Corchorus. 2 to 3 ft   | T    | 20              | 10   | (0  |
| Jap. var. flore plena. 2 to 3 ft   |      | 50              | 10   |     |
| Jap. var. foliis variegatis. 12 in   |      | 20              | 10   | 00  |
| LESPEDEZA. (Desmodium.)  |      |                 |      |     |
| bicolor 2 yrs  | I    | 50              |      |     |
| Sieboldi. 3 yrs  | I    | 50              | I 2  | 00  |
| LAURUS. (See Benzoin.)   |      |                 |      |     |
| LIGUSTRUM. Privet.   |      |                 |      |     |
| Ibota. Chinese Privet. 18 to 24 in   |      | 00              | -    | 00  |
| 2 to 3 ft  |      | 00<br>50        |      | 00  |
| I. var. Regelianum. Regel's Privet.  |      | 30              | 12   | 00  |
| a ft basels  | Ι    | 50              | 12   | 00  |
| media. Japanese Privet. 18 to 24 in  |      | -               |      | 00  |
| 24 to 30 m   | I    | 00              | 7    | 00  |
| ovalifolium. California Privet.  |      |                 |      |     |
| 18 to 24 in. \$12 oo per M   |      |                 |      | 00  |
| 2 to 2½ it., busny, \$20 oo per M  |      |                 |      | 00  |
| 2½ to 3 ft., bushy, \$25 oo per M  |      |                 |      | 00  |
| yulgare Furopean Privet 2 to 2 ft  | т    | 00              |      | CO  |
| vulgare. European Privet. 2 to 3 ft 3 to 4 ft  |      | 00              |      | co  |
| 0 -2 T -00.11.11.11.11.11.11.11.11.11.11.11.11.1   | 1    | 00              | O    | -0  |

| TONICED A Theriefs II amount to   | Per 10 | Per 100       |
|---|--------|---------------|
| LONICERA Upright Honeysuckle.   |        |               |
| Alberti, or hispida. 18 to 24 in.   | \$1 00 |               |
| bella albida. 3 It  | 1 50   |               |
| fragrantissima. 2 to 3 ft   | 1 20   | \$:0 00       |
| bella albida 3 ft.<br>fragrantissima. 2 to 3 ft.<br>Morrowii. 3 to 4 ft., \$60 00 per M | I 00   | 8 00          |
| Ruprechtiana. 2 to 3 ft   | I 00   | 8 00          |
| 3 to 4 ft   | I 20   | 10 00         |
| Tatarica. Tartarian Honeysuckle.  |        |               |
| 2½ to 3 ft  |        | 6 00          |
| 3 to 4 ft   | 1 00   | 8 00          |
| <b>T.</b> var. alba 2½ to 3 ft  | 1 00   | 8 60          |
| T. var. grandiflora. 2 to 3 ft  |        | 6 00          |
| T. var. grandiflora. 2 to 3 ft. 3 to 3½ ft.  LYCIUM. See Climbing Vines.                | 1 00   | 8 oc          |
| <b>LYCIUM.</b> See Climbing Vines.  |        |               |
| MYRICA. Bayberry.   |        |               |
| cerifera. Candleberry. 18 to 24 in  | I 50   | 12 00         |
| 24 to 30 in   | 2 00   | 15 00         |
| 24 to 30 in   | 1 00   | 8 00          |
| 24 to 30 in   | 1 00   | 10 00         |
| PÆONIA. Tree Pæonia.  |        | 20 00         |
| arborea. New varieties in Pink, Red, Rose,  |        |               |
| Purple and White.   | 10 00  |               |
| PHILADELPHUS. Syringa or Mock Orar  |        |               |
| coronarius. Mock Orange. 2 10 3 ft  | 1 00   | 8 00          |
| 3 to 4 ft   | I 20   | 10 00         |
| c. foliis aurea. Golden Syringa.  | 1 20   | 10 00         |
| 12 to 18 in   | I 50   | 12 00         |
| 18 to 24 iu   | 2 00   | 15 00         |
| Gordonianus. 2 to 3 ft  | 2 00   | 8 00          |
| 3 to 4 ft   | I co   |               |
| 4 to 5 ft   |        | 9 00          |
| grandiflorus. 2½ to 3 ft  | I 50   | 12 00<br>8 00 |
| grandinorus. 2½ to 3 ft   | I 00   |               |
| 3 to 4 ft   | 1 20   | 10 00         |
| PHOTINIA. (See Deciduous trees, page 18.) POTENTILLA. Cinquefoil.                       |        |               |
| fortions 18 to 24 in  | T 00   | 6 00          |
| fruticosa. 18 to 24 in  | I 00   | 6 00          |
| 2 to 3 ft   | I 00   | 8 00          |
| PRUNUS. Plum and Almond.  | * 40   |               |
| maritima. Beach Plum. 2 to 3 ft   | I 20   |               |
| Pissardi. (See Deciduous trees, page 19.)   |        |               |
| sinensis. var. alba plena. Dwarf White-<br>Almoud. 2 to 3ft                             |        |               |
| Almond, 2 to 31t  | 2 00   | 15 00         |
| s. var. rosea plena. Double Pink Almond.  |        | 7             |
| triloba. Double Flowering Plum.   | 2 00   | 15 00         |
|   |        |               |
| 2 to 3 ft   | 2 00   | -             |
| 3 to 4 ft   | 2 50   | <b>20</b> 00  |
| PTELEA. See Deciduous Trees, page 19.   |        |               |
| PYRUS. Chokeberry.  |        | 0 -           |
| arbutifolia. 2 to 2½ ft   | I 00   | 8 00          |
| 2½ to 3 ft  | I 20   | 10 00         |
| floribunda. Red Chokeberry. 3 to 4 ft   | 2 50   |               |
| f. var. nigra. Black Chokeberry.  |        |               |
| 2 to 2½ ft  | I 20   | 10 00         |
| RHAMNUS. Buckthorn.   |        |               |
| Carolinianus or frangula. Indian Cherry.  |        | 0             |
| 3 to 4 ft   | I 00   | 8 00          |
| catharticus. Common Buckthorn.  |        |               |
| 2 to 3 ft   |        | 6 00          |
| 3 to 4 ft   | 1 00   | 8 00          |
|   |        |               |

| RHODORA. Azalea. canadensis. Canadian Rhodora.                                    | Per 10       | Per 100         |
|---|--------------|-----------------|
| RHODOTYPUS. White Kerria.   | \$2 50       | <b>\$2</b> 0 00 |
| kerrioides. 2 to 3 ft   | 1 00         | 8 00            |
| <b>kerrioides.</b> 2 to 3 ft  | I 20         | 10 00           |
| RHUS. Sumach.   |              |                 |
| aromatica. Fragrant Sumach.   |              |                 |
| 18 to 24 in   | I 20         | 10 00           |
| 2 to 3 ft   | I 50<br>I CO | 8 <b>o</b> o    |
| 2 to 3 ft   | I 20         | 0 00            |
| cotinus. Purple Fringe. 2 to 3 ft   | I 00         |                 |
| 3 to 4 ft   | 1 50         | 12 00           |
| 5 to 6 ft., tree form   | 4 00         |                 |
| glabra. Smooth Sumach   | I 20         | 10 00           |
| 4 to 5 ft   | I 50         | 12 CO           |
| g var. laciniata. Cut-leaved Sumach.  |              |                 |
| 18 to 24 in   | I 50         | 12 00           |
| 2 to 2½ ft  | 2 00         | TO 00           |
| 4 to 5 ft   | I 20<br>I 50 | IO 00<br>I2 00  |
| RIBES. Currant.   | 1 30         | 12 00           |
| aurea. Yellow-flowering Currant. 2 to 3 ft sanguineum. Crimson-flowering Currant. | 1 00         | 8 00            |
| 2 to 2½   | I 20         | 10 00           |
| ROSA. Rose.   |              |                 |
| <b>blanda.</b> 12 to 18 in  |              | 5 00<br>6 00    |
| 18 to 24 in   | CO I         |                 |
| Carolina. Swamp Rose, 18 to 24 in   | I· 20        | 8 00            |
| 24 to 30 in   | I 00         | 6 oo<br>7 oo    |
| 30 to 36 in   | I 20         | 10 00           |
| lucida. 18 to 24 in   | I 00         | 7 00            |
| 1. alba. 18 to 24 in  | 2 00         | ,               |
| multiflora. 12 to 18 in   |              | 6 00            |
| 18 to 24 in   | I 00         | 8 00            |
| 24 to 30 in   | I 20         | 10 00           |
| nitida. 15 to 18 in   | 1 00         | 8 00            |
| 18 to 24 in   | I 20         | 10 00           |
| 24 to 30 in   | 1 50         | 12 00           |
| repens. 3 to 4 ft   | I 50<br>I 20 | 8 00            |
| 3 to 4 ft   | I 20         | 10 00           |
| 3 to 4 200000000000000000000000000000000000                                       | 1 20         | 10 00           |
| HYBRID SWEET BRIARS   |              |                 |
| Amy Robsart. Deep Rose  | 2 00         |                 |
| Flora McIvor. White, blushed  | 2 00         |                 |
| Lady Penzance. Copper   | 2 00         |                 |
| Lord Penzance. Yellow   | 2 00         |                 |
| Meg Merrilies. Crimson  | 2 00         |                 |
| rubrifolia. Red-leaved Rose. 2 to 2½ ft   | I 20         | 10 00           |
| rugosa. Ramanas Rose. 15 to 18 in   | I (0<br>I 20 | 8 00            |
| rugosa alba. White Ramanas Rose.  | 1 20         | 10 00           |
| 12 10 18 in   | I 20         |                 |
| 18 to 24 in   | I 50         | 12 00           |
| 24 to 30 in   | 2 00         | 15 00           |
|   |              | -               |

## ROSA RUGOSA HYBRIDS

| Blanc de Coubert. Double white  | Per 10<br>\$2 50<br>2 50<br>2 00 | Per 100      |
|---|----------------------------------|--------------|
| Mme. George Bruant. Double white  | · I 50                           | \$12 00      |
| Roseraie de l Hay. Deep rose, double setigera. Prairie Rose. 3 to 4 ft  | 2 00                             |              |
| setigera. Prairie Rose. 3 to 4 ft   | I 00                             | 8 00         |
| 4 to 5 ft   | I 20                             | 10 00        |
| spinosissima, in variety  | 3 00                             | 8 00         |
| WICHUARIANA HYBRIDS   |                                  |              |
| Manda's Triumph. Double White   | I 50                             |              |
| Pink Roamer. Single Pink  | 1 50                             |              |
| South Orange Perfection. Double Blush-  | - 0-                             |              |
| pink Universal Favorite. Double Rose  | I 50                             |              |
| Universal Favorite. Double Rose   | 1 50                             |              |
| RUBUS. Bramble.   | *                                | 6            |
| odoratus. Flowering Raspberry, 2 to 3 ft SAMBUCUS. Elder.   | 1 00                             | . 6 00       |
| nigra. Common Elder. 3 to 4 ft  | 1 00                             |              |
| nigra. var. aurea. Golden Elder. 2 to 3 ft.   | 1 00                             | 8 oo         |
| 3 to 4 ft   | I 20                             | 10 00        |
| 4 to 5 ft   | 1 50                             |              |
| nigra laciniata. Cut-leaved Elder. 2 to 3 ft.   | 2 00                             |              |
| racemosus. Red-fruited Elder. 3 to 4 ft   | I 20                             | 10 00        |
| SNOWBERRY. (See Symphoricarpus.) SPIRÆA. Meadow Sweet:  |                                  |              |
| arouta 2 ft   | I 20                             | 10 00        |
| arguta. 3 ft  Bumalda. 18 to 24 in  | 1 00                             | 8 00         |
| 24 to 30 in   | I 20                             | 10 00        |
| 24 to 30 in  B. var. Anthony Waterer. 15 to 18 in.  | 1 00                             | 8 00         |
| 18 to 24 iii  | I 20                             | 10 00        |
| 24 to 30 in   | 1 50                             | 12 00        |
| callosa. Fortune's Spiræa. 3 to 4 ft  | I 00<br>I 00                     | 8 oo<br>8 oo |
| 18 to 24 in   | I 20                             | IO 00        |
| c. var. superba. 18 to 24 in  | I 00                             | 8 00         |
| crispifolia. 10 to 12 in  | I 50                             |              |
| opulifolia. Nine Bark. 3 to 4 ft  | I 50                             | 10 00        |
| o. var. aurea. Golden Spiræa. 3 to 4 ft   | 1.50                             | 10 00        |
| 4 to 5 ft  prunifolia flore pleno. Bridal Wreath.  2 to 3 ft  Reevesii. Lance-leaved Spiræa. 3 to 4 ft sorbifolia. Ash-leaved spiræa. 18 to 24 in | 2 00                             |              |
| 2 to 3 ft   | 1 50                             |              |
| Reevesii. Lance-leaved Spiræa. 3 to 4 ft  | 1 50                             |              |
| sorbifolia. Ash-leaved spiræa. 18 to 24 in .  | I 00                             | 6 00         |
| 24 to 30 in   | 1 00                             | 8 00         |
| 18 to 24 in   | T 00                             | 4 00         |
| 24 to 30 in   | I 00<br>I 02                     | 8 00         |
| Van Houttei. Van Houtte's Spirea.   | 1 02                             | 10 00        |
| 18 to 24 in   | 1 00                             | 8 00         |
| 2 to 3 ft<br>3 to 4 ft.<br>STEPHANANDRA.  | I 20                             | 00 01        |
| 3 to 4 ft   | 1 50                             | 12 00        |
| STEPHANANDRA.   |                                  | 0            |
| <b>flexuosa.</b> 12 to 18 in  | I 00                             | 8 00         |
| 24 to 30 in   | I 20<br>I 50                     | 10 00        |
| 24 00 Jo 111.11111111111111111111111111111111   | 1 30                             |              |

| SYMPHORICARPUS. Snowberry. racemosus. 2 to 2½ ft                               | Per 10       | Per 100        |
|--|--------------|----------------|
| racemosus. 2 to 2½ it  | \$1 00       | \$ 8 00        |
| 3 to 4 ft vulgaris. Indian Currant.  | I 20         | 10 00          |
| 2 to 2½ ft. \$50 oo per M  |              | 6 00           |
| 2½ to 3 ft. \$60 00 per M  |              | 8 00           |
| SYRINGA. Lilac.  |              |                |
| Japonica. (See Deciduous Trees, page 20) Josikæa. 2 to 3 ft                    |              |                |
| Josikæa. 2 to 3 ft   | 1 50         | 12 00          |
| 3 to 4 ft  | 2 00         |                |
| Persica. Persian Lilac. 2½ to 3 ft   | 2 00         | •              |
| Rothomagensis. Rouen Lilac. 2 to 3 ft  | I 50         |                |
| Rothomagensis. Rouen Lilac. 2 to 3 ft 3 to 4 ft                                | 2 00         |                |
| villosa. 2½ to 3 ft  | 2 00         |                |
| vulgaris. Common Lilac. 2 to 3 ft  | I 00         | 8 00           |
| 3 to 4 ftvulgaris var. alba. Common White Lilac. 2 to 2½ ft                    | I 20         | 10 00          |
| 2 to 21/2 ft   | I 20         | 10 00          |
| 2½ to 3 ft   | 1 50         | 12 00          |
| 3 to 4 ft  | 2 00         | 15 00          |
|  |              |                |
| HYBRID VARIETIES   |              |                |
|  |              |                |
| Charles X. 2 to 3 ft   | I 50         | T. 00          |
| 3 to 4 ft  | 2 00<br>2 00 | 15 00          |
| Marie LeGray. 2 to 3 ft  | 2 00         |                |
| Michael Buchner. 2 to 3 ft   | 2 00         |                |
| Souv. de Ludwig Spæth. 2 to 3 ft   | 2 0)         |                |
| TAMARIX Tamarisk.  |              |                |
| Africana. 3 to 4 ft.,,   | I 20         | 10 00          |
| Gallica. 3 to 4ft  | I 20         | 10 00          |
| VACCINIUM. Huckleberry. corymbosum, Blueberry. 3 to 4 ft VIBURNUM. Arrow Root. | 4 00         |                |
| VIBURNUM. Arrow Root.  | 4 00         |                |
| cassinoides. 18 to 24 in   | 1 50         | 12 00          |
| 2 to 3 ft  | 2 00         | 15 00          |
| 3 to 4 ft., very bushy   | 3 00         | 25 00          |
| 4 to 5 ft., specimens  | 7 50         | 60 00          |
| 5 to 6 ft., XX specimens   | 10 00        |                |
| dentatum. 24 to 30 in  | I 20         | 10 00          |
| 30 to 36 in  | I 50<br>I 20 | 12 CO<br>10 OO |
| 3 to 4 ft  | I 50         | 12 00          |
| 3 to 4 ft  | 1 00         | 8 00           |
| 4 to 6 ft. specimens   | 2 50         |                |
| 4 to 6 ft. specimens molle. Soft-leaved Viburnum. 2 to 3 ft                    | 1 50         | 12 00          |
| 3 to 3½ ft   | 2 00         |                |
| Opulus. High Bush Cranberry. 2 to 3 ft   | I 00         | IO CO          |
| 3 to 4 ft  | I 50<br>I 20 | 12 00<br>10 00 |
| Opulus var. nanus. 12 to 15 in<br>Opulus var. sterile. Common Snowball.        |              |                |
| 2½ to 3 ft   | 1 50         | 12 00          |
| 3 to 4 ft  | 2 00         | 15 00          |
| plicatum. Japan Snowball. 2½ to 3 ft 3 to 4 ft                                 | 3 00<br>4 00 | 25 00<br>30 00 |
| plicatum var. tomentosum. 2 to 3 ft  | I 20         | 10 00          |
| 3 to 4 ft  | 2 00         | 15 00          |
| 4 ft., very heavy  | 5 00         | -              |

| WEIGELA. See Diervilla, page 4. XANTHORRHIZA.   | Per 10           |         |
|---|------------------|---------|
| apiifolia. 8 to 12 in   | <b>\$</b> 1 50   | \$12 00 |
| EVERGREEN SHRUBS  |                  |         |
| ANDROMEDAS. floribunda. Lily-of-the-Valley Tree.  |                  |         |
| Japonica. 15 to 18 in  BERBERIS. Barberry. aquifolia, or Mahonia. Ashberry.                               | 7 50             | 60 co   |
| 12 to 18 in   | 1 50             | 12 00   |
| ilicifolia. Holly-leaved Barberry. 12 to 15 in. <b>BUXUS. Box.</b>  | 1 50             | 12 00   |
| sempervirens. Tree Box. 15 to 18 in<br>s. var. nana. Dwarf Box. \$25 oo per M<br>COTONEASTER microphylla. | 5 00<br>50       | 3 00    |
| 12 to 18 in   | I 00             | 8 00    |
| DAPHNE cneorum. 6 to 8 in   | 3 co             | 25 CO   |
| 8 to 10 in. (bushy) EUONYMUS. Spindle Tree.   | 5 00             | 25 00   |
| radicans. Creeping Euonymus. 3 yrs  | 1 00             | 6 00    |
| 4 yrs   | 1 50             | 10 00   |
| variegata. 3 yrs  | I <b>0</b> 0     | 8 00    |
| helix. English Ivy  | 1 50             | 12 00   |
| glabra. Inkberry. 12 in. clumps   | 2 50             |         |
| glabra. Inkberry. 12 in. clumps   | 7 50             |         |
| 3 to 4 it   | 10 CO            |         |
| latifolia. Mountain Laurel. 18 to 24 in 2 to 3 ft. \$1 00 to \$2 00 Each.                                 |                  | 75 00   |
| By the carload, in sizes to suit, prices on   |                  |         |
| application.  MAHONIA aquifolia (See Berberis aquifolia).  LEUCOTHOE.                                     |                  |         |
| Catesbæi, syn. Andromedia Catesbæi.   |                  |         |
| 15 to 18 in   | 2 50             | 20 00   |
| ů   |                  |         |
|   |                  |         |
| RHODODENDRONS   |                  |         |
|   | Per 10           | Per 100 |
| RHODODENDRON. Catawbiense.  | ф                | d       |
| 2 ft  | \$ 9 00<br>10 00 | \$75 00 |
| c. vai. granumora. 211 125  | 10 00            | 90 00   |

#### HYBRID CATAWBIENSE

|                           |        | Per 10  | Per 100         |
|---------------------------|--------|---------|-----------------|
| 18 to 24 in., well budded | \$1 25 | \$10 00 | \$90 0 <b>0</b> |
| 24 to 30 in               |        | 15 00   |                 |

#### Varieties

Abraham Lincoln, magenta lilac. Album elegans, large, white. Album grandiflorum, white and blush. Atro-sanguineum, cherry red. Blandyanum, rosy crimson. Boule de Neige, pure white. Caractacus, rich purplish crimson. Delicatissimum, white and blush. Everestianum, rosy lilac, crimped. General Grant, crimson pink. Giganteum, large, rosy crimson. Gloriosum, large, blush. H. H. Hunnewell, rich crimson. Lady Clermont, rosy scarlet. Mme. Carvalho, clear white. Mrs. Millner, dark red. President Lincoln, rosy purple. Roseum elegans, fine rose. Roseum grandiflora, dark rose. William Austin, purple.

#### RHODODENDRON MAXIMUM

We have a large stock of these plants in the nursery in sizes ranging from two to eight feet.

| ging from two to eight feet.           |          |                |         |
|--|----------|----------------|---------|
|  |          | Per 10         | Per 100 |
| 2 to 3 ft., bushy                      | \$1 OO   | <b>\$</b> 9 00 | \$75 00 |
| 3 to 4 ft., "                          | I 25     | 10 00          | 90 co   |
| 4 to 5 ft., "                          |          | 15 00          |         |
| 5 to 6 ft., "                          | 3 00     | 25 00          |         |
| Specimen plants, 6 to 8 ft. in height. | \$5 00 t | 0 \$7 00 6     | each.   |

We make a specialty of collecting these plants and can supply selected specimens in carloads at the field, graded in sizes to meet the requirements of the purchaser, from two to eight feet in height. Special prices will be quoted on application.

YUCCA. Adam's Needle. filamentosa. 3 and 4 yrs., strong.... 1 00 8

# VINES AND CLIMBING SHRUBS

|   | Per 10 | Per 100 |
|---|--------|---------|
| ACTINIDIA arguta. 4 yrs. XX               | \$2 50 | \$20 00 |
| AKEBIA quinata. Very strong               | I 20   | 10 00   |
| AMPELOPSIS Woodbine.                      |        |         |
| quinquefolia. Common Woodbine or Virginia |        |         |
| Creeper, 3 yrs                            | I 00   | 6 00    |
| var. Englemanii. 3 yrs. \$60 oo per M     | I CO   | 8 00    |
| Veitchi. 3 yrs. XX                        | I 20   | 10 00   |
| 3 yrs. No. 1                              | I 00   | 8 00    |
| APIOS. Ground Nut.                        |        |         |
| tuberosa. Wild Wistaria                   | I 00   | 6 00    |
| ARISTOLOCHIA. Pipe Vine.                  |        |         |
| sipho. Dutchman's Pipe.                   |        |         |
| 3 yrs., extra strong                      | 5 00   | 40 00   |
| BIGNONIA. See Tecoma.                     | •      | •       |

|   | Pe  | r 10 | Per 100      |
|---|-----|------|--------------|
| CELASTRUS. Bittersweet.   | 10  | 10   | 1 01 100     |
| orbiculatus. 3 to 4 ft  | \$I | 00   | \$8 oo       |
| scandens. 3 yrs., 3 to 4 ft   | I   | 00   | 8 00         |
| CLEMATIS.   |     |      |              |
| apiifolia. 2 yrs., strong   | 3   | 00   | 25 00        |
| coccinea. 3 yrs   | 1   | 50   | 12 00        |
| crispa. 3 yrs   | I   | 50   | I2 00        |
| Duchess of Edinburg. 2 yrs., field-grown.   | 2   | 50   | 20 00        |
| Henryii. 2 yrs., field-grown  | 3   | 00   | 25 00        |
| Jackmani. 2 yrs., field-grown   | 2   | 50   | 20 00        |
| Madame Andre. 2 yrs., field-grown   | 2   | 50   | 20 00        |
| Madame Baron Villard. 2 yrs., field-grown.  | 2   | 50   |              |
| paniculata. 4 yrs., XXX   | I   | 20   | 10 00        |
| 3 yrs., XX  | I   | CO   | 8 00         |
| Virginiana. 3 yrs   | I   | 00   | 8 00         |
| LONICERA. Honeysuckle.  |     |      |              |
| Belgica. Dutch Monthly Fragrant Honeysuc-   |     |      |              |
| kle   | I   | 00   |              |
| brachypda. 3 yrs  | I   | 00   |              |
| b. var. aurea reticulata. Golden varie-   |     |      |              |
| gated Honeysuckle. 3 yrs  | I   | 00   |              |
| b. var. Halleana. Hall's Japan Honeysuckle,   |     |      |              |
| 2 yrs   | I   | 00   | 8 oo         |
| sempervirens. Scarlet Trumpet Honeysuckle.  |     |      |              |
| 3 yrs   | 2   | 00   |              |
| sinensis. Chinese Evergreen Honeysuckle.  |     |      |              |
| 3 vrs , strong  | I   | 00   |              |
| LYCIUM. Matrimony Vine  |     |      |              |
| Barbarum. Box Thorn. 2 to 3 ft  | I   | 00   | 8 00         |
| MENISPERMUM Moon Seed.  |     |      |              |
| canadense. 4 yrs  | 1   | 50   | 8 00         |
| PERIPLOCA. Silk Vine.   |     |      |              |
| Græca. 4 yrs. strong  | 1   | 50   | 12 00        |
| TECOMA. Trumpet Vine.   |     |      |              |
| radicans or Bignonia  | 1   | 00   | 8 <b>o</b> o |
| VITIS. Grape.   |     |      |              |
| coignetiæ. Crimson Glory Vine. 2 yrs.,  |     |      |              |
| field-grown   |     | 50   | _            |
| WISTARIA.   | Per | 10   | Per 100      |
| made a court work a court of  | 2   | 00   |              |
| Chinensis. Chinese Wistaria. (Blue). 40<br>C. var. alba. Chinese White Wistaria. 50 | -   | 00   |              |
| magnifica. American Wistaria.   | 4   | 00   |              |
|   | •   | 50   | 20.00        |
| (Purple)  | 2   | 50   | 20 00        |

## HARDY ROSES

During the past few years a large number of new varieties of Roses have been introduced and sold, which have no practical value in our climate. For this reason we take great care to include in our lists only such varieties as are worthy of general cultivation.

Hybrid Perpetual and Other Hardy Varieties. Strong, field-grown plants, \$2.00 per 10, \$15.00 per 100.

Except where noted.

Abel Carriere—Rich, velvety crimson, with fiery center.
Alfred Colomb—Carmine red; very large and full.


American Beauty—Deep rose; very large; valuable for forcing. Anne de Diesbach—Clear, bright rose; large and fragrant. Baron de Bonstettin-Velvety maroon; large and full. Baroness Rothschild-Bright pink; very large. Captain Christy—Delicate flesh; darker center. Clio-Large, flesh-color shaded with rosy-pink. 25 cts. Coquette des Alpes-White, tinged with blush. Blooms late. Countess of Oxford—Carmine red; tinged lilac. Crested Moss—Deep pink colored buds.

Duke of Albany—Vivid crimson, becoming darker. Dake of Connaught-Rosy crimson, large. Duke of Edinburg-Bright crimson. Fisher Holmes-Brilliant crimson. Frau Karl Druschki-New. Purest white. 25 cts. General Jacqueminot—Bright, scarlet crimson. Glorie de Lyonnaise-Creamy white; tea scented. Glorie de Margottin - Brilliant scarlet ; large ; fragrant. Gruss an Teplitz - Scarlet, blooms all summer. 25 cts. Harrison's Yellow-Pure yellow. Hermosa-Bright rose. John Hopper-Bright rose, carmine center. Jules Margottin-Carmine rose. Kaiser A. Victoria-White blended with cream. 25 cts. La France-Silvery rose. The most fragrant of hardy roses. Mabel Morrison-One of the best white roses, Mad. Gabriel Luizet-Light, silvery pink. Mad. Plantier - Pure white; early summer bloomer. Mad. Caroline Testout-Hybrid tea. Satiny pink. Mad. Charles Wood-Vivid crimson. Magna Charta-Pink and carmine. Marchioness of Londonderry-Flowers of great size, measuring seven inches across. Color ivory white. One of the finest roses. 25 cts. Margaret Dickson-White, pale flesh color. Marie Baumann-Brilliant carmine crimson; large, full; very fragrant. Mrs. Jno. Laing—Soft pink, fragrant; blooms late in Autumn. M. P. Wilder—Cherry carmine. Merville de Lyon—Pure white. Mrs. R. G. Sharman-Crawford-Color, deep rosy-pink; flowers large and perfect; free bloomer. 25 cts. Paul Neyron-Deep rose; very large. Perle des Blanches-Pure white. Persian Yellow-Bright yellow. Prince Camille de Rohan—D ep velvety crimson. Soliel d'Or-New. A valuable hybrid, varying in color from gold and orange to reddish gold shaded with nasturtium red. 25 cts. Souv. de la Malmaison—Bourbon. Flesh tinted with fawn. **Ulrich Brunner**-Cherry red. A fine rose. White Baroness—Pure white. White Moss-Beautiful in the bud; pure white. CTIMPING DOSES

| CLIMBING RUSES                                  |        |               |
|---|--------|---------------|
| 70 44° 70 44 70 4 44 4 4 4 4 4 4 4 4 4 4 4 4 4  | Per 10 | Per 100       |
| Baltimore Belle—Pale blush, turning to white;   |        |               |
| blooms in clusters                              | \$1 50 | \$12 00       |
| Queen of Prairie-Flowers double, red, and in    |        |               |
| clusters. One of the best                       | I 50   | 12 00         |
| Setigera -The Prairie Rose. Flowers single,     |        |               |
| deep rose, produced in masses through late June |        |               |
| and July  | I 20   | <b>c</b> 0 01 |
|   |        |               |

#### HARDY RAMBLERS

| HARDI RAMBLERS   |        |         |
|--|--------|---------|
| Crimson Rambler-Bright crimson, blooming   | Per 10 | Per 100 |
| in panicles. First grade, 3 to 4 ft  |        | \$12 00 |
| Extra strong plants, 4 to 5 ft   | 2 00   | 15 00   |
| Pink Rambler (Eyphrosyne)—Clear, light red   | I 50   | •       |
| White Rambler (Thalia)—Pure white  | I 50   |         |
| Yellow Rambler (Aglaia)—Light yellow   | 1 50   | 12 00   |
| New Climbers   |        |         |
| Carmine Pillar—The Butterfly Rose. Hardy climber. The flower is from three and a half to four inches across, of the brightest possible rosy cormine and produced year, abundantly. The |        |         |



#### DOROTHY PERKINS.

| <b>Dorothy Perkins</b> —A hardy and vigorous climb- |      |       |
|---|------|-------|
| ing rose, bearing clusters from 30 to 40 flowers    |      |       |
| like Crimson Rambler. These are a fine and          |      |       |
| striking shade of shell-pink in color, and quite    |      |       |
| double and deliciously fragrant. It is absolutely   |      |       |
| hardy, and is a cross between Rosa Wichuraiana      |      |       |
| and Mad. G. Luizet                                  | I 50 | 12 00 |
| Helene-A seedling from Crimson Rambler.             |      |       |
| Flowers larger than those of Crimson Rambler,       |      |       |
| nearly double, and borne in clusters of twenty      |      |       |
| to fifty. Color soft violet rose, yellowish white   |      |       |
| at base of petals. Anthers pure yellow and          |      |       |
| numerous. Habit fully as strong as Crimson          |      |       |
| Rambler, but more graceful. Foliage like Crim-      |      |       |
| son Rambler Hardy                                   | 1 50 | 12 00 |
| Rose "Psyche"—This rose resembles in growth         | - 0- |       |
| and habit the famous Crimson Rambler, and its       |      |       |
| flowers, produced in immense quantity, are          |      |       |
| white, tinted with salmon rose and pink, with       |      |       |
| bright yellow at the base of the petals. It is      |      |       |
| invaluable to every rose lover.                     | 2 50 |       |
|   | 2 30 |       |
| TREE ROSES  |      |       |
| Tu colors Red Pink and White                        | 7 50 |       |

### DECIDUOUS TREES

Under this head we include both upright and drooping forms of trees which shed their foliage in Winter. Our shade trees have all been several times transplanted and are as good as can be grown.

|   | Each         | Per 10      | Per 100        |
|---|--------------|-------------|----------------|
| ACER. Maple.  |              |             |                |
| campestris. English Cork-bark Maple 5 to 6 ft. dasycarpum. Silver-leaved Maple. |              |             |                |
| 5 to 6 ft   | \$ 40        | \$ 3 50     | \$30 00        |
| dasycarnum Silver-leaved Manle  | γ <b>4</b> 0 | # 3 Jc      | <b>*</b> 50 00 |
| 8 to 10 ft  |              | 3 00        | 25 00          |
|   | 35           |             | -              |
| d. var. Wierii. Wier's Cut-leaved   | 50           | 4 00        | 35 00          |
|   | =0           | 4 00        | 25 00          |
| Maple. 8 to 10 ft   | 50           | 4 00        | 35 00          |
|   | 75           | 6 00        | 50 00          |
| 12 to 15 ft   | I 00         | 8 co        |                |
| Negundo. Ash-leaved Maple. 10 to  |              |             |                |
| 12 ft   | 50           | 4 00        | 30 CO          |
| platanoides. Norway Maple.  |              |             |                |
| 8 to 10 ft  |              | <b>3 50</b> | 30 00          |
| 10 to 12 ft   | 75           | 6 00        | 50 00          |
| 12 to 14 ft   | I 25         | 10 00       | 75 00          |
| Specimens, \$2 oo to \$5 oo, according  |              |             |                |
| to size.  |              |             |                |
| p. var. Schwedlerii. Purple-leaved  |              |             |                |
| Norway. 6 to 8 ft   | 90           | 7 50        |                |
| 8 to 10 ft  | 1 00         |             |                |
| Specimens, \$1 50 to \$5 oo each.   |              |             |                |
| polymorphum. Japanese Maple. 3 ft.  | 75           | 6 00        |                |
| p. var. atropurpureum. Japanese   | ,,,          |             |                |
| Blood-leaved Maple. 2½ to 3 it  | 2 00         |             |                |
| p. var. atro. dissectum. Cut-leaved   |              |             |                |
| Purple Japan Maple. 2 ft  | 2 CO         |             |                |
| pseudo-platanus. Sycamore Maple,  | 2 00         |             |                |
| 8 to 10 ft  | 60           | 5 00        | 40 00          |
| 10 to 12 ft   |              | 6 00        | 40 00          |
| p. p. var. purpureum. Purple-leaved   | 75           | 0 00        |                |
| Successore Maple 8 to 10 ft   | т оо         | 0.00        |                |
| Sycamore Maple. 8 to 10 ft  | I 00         | 9 co        |                |
| saccharinum. Sugar or Rock Maple.   | 60           |             | 10.00          |
| 8 to 10 ft  | 60           | 5 00        | 40 00          |
| 10 to 12 ft   | 8 <b>o</b>   | 7 00        | 60 co          |
| 12 to 14 ft   | 1 00         | 9 00        | 80 00          |
| Specimens, 14 to 16 ft., \$2 00 to \$5 00                                       |              |             |                |
| according to size.  |              |             |                |
| spicatum. Mountain Maple. 3 to 4 ft.  | - 30         | 2 50        |                |
| 4 to 5 ft   | 40           | 3 50        |                |
| 5 to 6 ft   | 75           | 6 00        |                |
| ÆSCULUS. Horse Chestnut.  |              |             |                |
| Hipposastanum, European Horse   |              |             |                |
| Chestnut. 8 to 10 ft  | 75           | 6 00        |                |
| h. var. rubicunda Red-flowering   |              |             |                |
| Horse chestnut. 4 to 5 ft   | 75           | 6 00        |                |
| AILANTHUS. Tree of Heaven.  |              |             |                |
| glandulosa. 8 to 10 ft  | 50           | 4 50        |                |
| ALNUS. Alder.   | -            |             |                |
| glutinosa. Common Alder.  |              |             |                |
| 6 to 8 ft   | 50           | 4 00        |                |
| 8 to 10 ft  | 75           | 6 00        |                |
|   | 10           |             |                |

| 10 110100010 21000 2100                   | -9   | <b>V</b> 5 |                |         |
|---|------|------------|----------------|---------|
|   | Tên. | o la       | Don so         | D       |
| g. var. imperialis. Imperial Cut-         | Ea   | CH         | Per 10         | Per 100 |
| leaved Alder. 6 to 8 ft                   |      | 75         | <b>\$</b> 6 oo |         |
| AMELANCHIER. Mespilus or June-            | *    | 13         | #0 00          | ,       |
| berry                                     |      |            |                |         |
| Botryapium. Shad-bush.                    |      |            |                |         |
| 3 to 4 it.                                |      | 30         | 2 50           |         |
| ARALIA. Angelica Tree.                    |      |            |                |         |
| pentaphylla. (See Shrubs.)                |      |            |                |         |
| spinosa. Hercules' Club.                  |      |            |                |         |
| 3 to 4 ft                                 |      |            | 2 50           | \$20 00 |
| 4 to 5 ft                                 |      |            | 4 00           | 30 00   |
| BETULA. Birch.                            |      |            |                |         |
| alba. European White Birch.               |      | 25         | · 6 oo         |         |
| 8 to 10 ft                                | т    | 75<br>00   |                |         |
| Specimens, 12-15 ft., \$2 00 each.        |      | 00         | 7 50           |         |
| alba var. pendula Youngii. Young's        |      |            |                |         |
| Weeping Birch. 6 to 7 ft., specimens.     |      | 50         | 10 CO          |         |
| · lenta. Sweet or Black Birch.            |      | 0 -        |                |         |
| 6 to 8 ft                                 |      | 40         | 3 50           |         |
| 10 to 12 ft                               | I    | 00         | 7 50           |         |
| lutea. Yellow Birch.                      |      |            |                |         |
| 4 to 5 ft                                 |      | 30         | 2 50           |         |
| 10 to 12 ft                               | . 1  | 00         | 7 50 '         |         |
| nigra. Red or River Birch.                |      | -          |                |         |
| 8 to 10 ft                                |      | 60         | 5 00           |         |
| papyracea. Paper or Canoe Birch.          |      | 75         | 6 00           |         |
|   |      | 50         | 4 00           |         |
| 6 to 8 ft                                 |      | 60         | 5 00           |         |
| populifolia American Gray Birch.          |      | 00         | 3 00           |         |
| 6 to 8 ft                                 |      | 40         | 3 50           | 25 00   |
| 8 to 10 ft                                |      | 50         | 4 00           | 30 00   |
| CARPINUS. Hornbeam.                       |      | •          |                | ,0      |
| Americana. 4 to 5 ft                      |      | 30         | 2 50           |         |
| 5 to 6 ft                                 |      | 40         | 5 00           |         |
| CARYA, Hickory.                           |      |            |                |         |
| alba. Shell-bark Walnut.                  |      |            |                |         |
| 2 to 3 ft                                 |      | 50         | 4 00           |         |
| 3 to 4 ft                                 |      | 60         | 5.00           |         |
| CASTANEA. Chestnut. Americana. 5 to 6 it. |      |            | 3 CO           | 25 00   |
| 6 to 8 fr                                 |      | 50 ·       | 4 00           | 30 00   |
| 8 to 10 ft                                |      | 60         | 5 00           | 40 00   |
| Japonca. Japan Chestnut. 4 to 5 ft        |      | 60         | 5 co           | 7       |
| vesca. Spanish Chestnut.                  |      |            | 0 -            |         |
| 4 to 5 ft                                 |      | 50         | 4 00           |         |
| CATALPA. Indian Bean.                     |      |            |                |         |
| Bungei. Bunge's Catalpa 5 to 7 ft.,       |      |            |                |         |
| 2 yr. neads                               |      | 92         | 7 50           |         |
| speciosa. Western Catalpa. 6 to 8 ft.     |      | 50         | 4 00           | 30 00   |
| 8 to 10 ft                                |      | 60         | 5 00           | 40 00   |
| CERASUS. Cherry.                          | 1    | 00         | 7 50           |         |
| Japonica var. rosea pendula. Jap-         |      |            |                |         |
| anese Rose-flowering Weeping Cher-        |      |            |                |         |
| ry. 5 to 6 ft., 2 yr. heads               | 1    | 00         | 9 00           |         |
| ry. 5 to 6 ft., 2 yr. heads               |      | 50         | 4 50           |         |
| Sieboldi rubra plena. 4 to 5 ft           |      | 50         | 4 50           |         |
| serotina. Wild Black Cherry. 8 to 9 ft.   |      | 50         | 3 50           |         |

|  | Each  | Per 10       | Per 100       |
|--|-------|--------------|---------------|
| CERCIS. Judas Tree or Red Bud.<br>Canadensis. American Judas Tree. |       |              | 201100        |
| 3 10 4 ft  | \$ 30 | \$2 50       |               |
| 4 to 5 ft  | 50    | 4 00         |               |
| Japonica. Japan Judas Tree. 2 to 3 ft.                             | 35    | 2 50         |               |
| CHIONANTHUS. Fringe Tree.  | 40    |              |               |
| Virginica. White Fringe. 3 to 4 ft                                 | 40    | 3 00         |               |
| 4 to 5 ft  | .50   | 4 00         |               |
| tinotoria syn Virgilia lutea                                       |       |              |               |
| 4 to 5 ft  | 50    | 4 00         |               |
| 5 to 7 ft  | 90    | 7 50         |               |
| CORNUS. Dogwood.   |       | , ,          |               |
| florida. White Flowering Dogwood.                                  |       |              |               |
| 3 to 3½ ft   |       | 2 50         | \$20 00       |
| 3½ to 4 ft   |       | 3 00         | 25 00         |
| 5 to 6 ft  |       | 5 00         |               |
| florida var. flore rubra. 3 to 4 ft CRATÆGUS. Thorn.               | 1 25  | 10 00        |               |
| Azarolus var. Carrierii. 5 to 6 ft.                                |       | 2 00         | 15 00         |
| coccinea. American White Thorn.                                    | 75    | 4 00         |               |
| 3 to 4 ft  | 25    | 2 00         | 15 00         |
| 4 to 5 ft  | 40    | 2 50         | 20 00         |
| 5 to 6 ft  | 50    | 4 00         | 20 00         |
| Crus-galli. Cockspur Thorn.  | J.    | 7,           |               |
| 3 to 4 ft  | 25    | 2 00         | 15 co         |
| 4 to 5 ft  | 40    | 3 00         | -             |
| Fortunei (New), 3 ft   |       | 2 00         | 15 00         |
| mollis. 2 to 3 ft  |       | 1 50         | I <b>2</b> 00 |
| <b>nitida.</b> 3 to 3½ ft  | 30    | 2 00         | 15 00         |
| Oxycantha. Common Hawthorne.                                       |       |              |               |
| 3 to 4 ft  |       | 1 50         | 12 50         |
| Oxy. coccinea flore pleno Paulii.                                  |       | 2 50         |               |
| Paul's Double Scarlet Thorn.                                       |       |              |               |
| 4 to 5 ft  | 50    | 4 00         | 30 00         |
| Oxy. var. flore alba pleno. Double                                 | 0 -   | •            | 3             |
| White Thorn, 4 to 5 ft   | 50    | 4 00         |               |
| CYTISUS. Golden Chain.   |       |              |               |
| Laburnum. 5 to 6 ft  | 50    | 4 00         |               |
| FAGUS. Beech.  |       |              |               |
| ferruginea. American Beech,  |       |              |               |
| 3 to 4 ft  | 50    | 4 50         |               |
| sylvatica. European Beech. 3 to 4 ft                               | 50    | 4.50         |               |
| 4 to 5 ft  | 75    | 4 50<br>6 oo |               |
| 4 to 5 ft  | 13    | 0 00         |               |
| Beech. 4 to 5 it   | I 00  | 8 <b>o</b> o |               |
| s. var. pendula. Weeping Beech.                                    |       |              |               |
| 5 to 6 it  | I 00  | 9 00         |               |
| s. var. purpurea. Purple-leaved                                    |       |              |               |
| Beech. 5 to 6 ft   | 75    | 5 00         |               |
| Beech. 5 to 6 ft   |       |              |               |
| Beech. 5 to 6 ft   | I 00  | 9 00         |               |
| FRAXINUS Ash. Americana. American White Ash.                       |       |              |               |
| 8 to 10 ft   | 50    | 4 00         |               |
| 10 to 12 ft  | 75    | 6 00         |               |
| GLEDITSCHIA. Honey Locust.   | 13    | 2 23         |               |
| triananthos. 3 to 4 ft   |       | 1 50         | 10 00         |
|  |       | -            |               |

|   | Each             | Per 10       | Per 100        |
|---|------------------|--------------|----------------|
| GYMNOCLADUS. Kentucky Coffee Tree.                                |                  |              |                |
| Canadensis. 5 to 6 ft   | \$ 40            | \$3 00       | \$25 00        |
| paniculata. 3 to 4 ft   | 50               | 4 00         | 30 00          |
| LARIX. Larch.<br>Europæa. European Larch.                         |                  |              |                |
| 3 to 4 ft   | 30               | 2 50         |                |
| 4 to 5 ft   | 50               | 4 00         |                |
| LIQUIDAMBAR.<br>styraciflua. Sweet Gum.                           |                  |              |                |
| 2 to 3 ft   | 25               | 2 00         |                |
| JIRIODENDRON.   | 40               | 3 00         |                |
| Tulipifera. Tulip Tree.   |                  |              |                |
| 5 to 6 ft   | 50               | 4 00         |                |
| 6 to 8 ft   | 60               | 5 00         |                |
| each.   |                  |              |                |
| LINDEN. (See Tilia.)  |                  |              |                |
| MAGNOLIA. Native varieties.                                       |                  |              |                |
| acuminata. Cucumber Tree. 7 to 9 ft, gluaca. Sweet Bay. 3 to 4 ft | 50<br><b>5</b> 0 | 4 00<br>4 00 |                |
| 4 to 5 ft   | 75               | 6 00         |                |
|   |                  |              | _              |
| CHINESE AND JAPANESE  | VAR              | IETIE:       | 5              |
| conspicua. Chinese White Magnolia.                                |                  |              |                |
| Kobus. Thurber's Japanese Magnolia.                               | 2 00             |              |                |
| 2 to 2 ft   | 50               | 6 оэ         |                |
| soulangeana. Soulange's Magnolia.                                 | _                |              |                |
| 3 to 4 ft speciosa. 3 to 4 ft                                     | I 00             | 9 00<br>9 00 |                |
| MORUS. Mulberry.  | 1 00             | 9 00         |                |
| alba var. Tatarica rubra. Rus-                                    |                  |              |                |
| sian Mulberry. 6 to 8 ft  | 50               | 4 00         |                |
| Weeping Mulberry. 5 to 6 ft, 2 yr.                                |                  |              |                |
| neads   | I 00             | 8 00         |                |
| Downing's Mulberry. 5 to 6 ft PHOTINIA.                           | 60               | 5 00         |                |
| villosa. 3 to 4 ft  | 25               | 2 00         | 15 00          |
| PLATANUS. Plane Tree.   | 4.0              |              | a# 00          |
| orientalis. Oriental Plane. 6 to 8 ft. 8 to 10 ft                 | 40<br>50         | 3 00<br>4 00 | 25 00<br>30 00 |
| POPULUS. Poplar.  | 5-               | 7            | 30 00          |
| alba. White or Silver Poplar.                                     |                  |              |                |
| 6 to 8 ft   | 40<br><b>6</b> 0 | 3 00<br>5 00 | 20 00          |
| 8 to 10 ft  | •                | 3 00         |                |
| lar. 8 to 10 ft   | <b>6</b> 0       | 4 50         | 40 00          |
| no to 12 ft   | 90               | 6 00         | 50 00          |
| balsamifera. Balsam Poplar. 10 to 12 ft                           | 75               | 6 co         |                |
| monilifera. Carolina Poplar.                                      |                  | T 50         |                |
| 8 to 10 ft<br>10 to 12 ft   | 25               | 1 50<br>2 00 | 10 00<br>15 00 |
| 12 to 14 ft   | 50               | 3 00         | 25 00          |

|  | Each       | Per 10       | Per 100               |
|--|------------|--------------|-----------------------|
| fastigiata. Lombardy Poplar.   |            |              |                       |
| 8 to 10 ft   | *          | \$2 00       | \$15 00               |
| Io to 12 ft  | \$ 30      | 2 50         | 20 00                 |
| PRUNUS. Plum.  | 50         | 4 CO         |                       |
| Pissardii. Purple-leaved Plum.   |            |              |                       |
| 3 to 4 ft  |            | τ 50         | 12 00                 |
| 4 to 5 ft  |            | 2 00         | 15 00                 |
| 5 to 6 ft  | 30         | 2 50         |                       |
| triloba. Double-flowering Plum. 2 to 3 ft                                    |            | 2 00         |                       |
| 3 to 4 ft  | 40         | 3 00         | 25 00                 |
| PTELEA. Hop Tree.  | 7-         | 3            | -0 -                  |
| trifoliata. 3 to 4 ft  | 25         | 2 00         | 15 00                 |
| t. var. aurea. Golden Hop Tree.  |            |              |                       |
| PYRUS. Flowering Crab.   | 30         | 2 50         |                       |
| mollis floribunda atro. sanguinea.   |            |              |                       |
| 3 to 4 ft  | 30         | 2 50         |                       |
| m. Parkmani. Parkman's Crab.   |            | •            |                       |
| 3 to 4 ft  | 50         | 4 co         |                       |
| Angustifolia. Bechtel's Double Flowering Crab. 3 to 4 ft                     |            | 4.50         |                       |
| PYRUS. Sorbus. Mountain Ash.   | 50         | 4 50         |                       |
| Americana. American Mountain Ash.  |            |              |                       |
| 3 to 4 ft  | 30         | 2 50         | 20 00                 |
| 4 to 5 ft  | 50         | 4 00         | 30 CO                 |
| aucuparia. European Mountain Ash.  | 25         | 0.50         |                       |
| 6 to 7 ft quercifolia. Oak-leaved Mountain Ash                               | 35         | 2 50         |                       |
| 6 to 7 ft  | 40         | 3 50         |                       |
| QUERCUS. Oak.  | •          | 0 0          |                       |
| bicolor. Swamp White Oak. 8 to 10 ft.  | I 00       | 8 50         | 75 <b>oo</b>          |
| no to 12 ft  | 1 50<br>60 | 12 00        | 40.00                 |
| <b>palustris.</b> Pin Oak. 5 to 6 ft 6 to 7 ft                               | 90         | 5 00<br>7 50 | 40 00<br><b>60</b> 00 |
| 7 to 9 ft  | 1 00       | 9 00         | 00 00                 |
| <b>Prinus.</b> Chestnut Oak. 6 to 7 ft                                       | <b>6</b> 0 | 5 00         |                       |
| Robur. English Oak. 5 to 6 ft  | 75         | 5 00         |                       |
| 6 to 8 ft  | 1 00       | 7 50         |                       |
| A to 5 ft  | I co       | 9 00         |                       |
| R. var. concordia. Golden Oak. 4 to 5 ft  R. var. fastigiata. Pyramidal Oak. | 1 00       | 9 00         |                       |
| 0 to 8 It  | 75         | 6 co         |                       |
| rubra. Red Oak. 5 to 6 ft  | 50         | 4 50         | 40 00                 |
| 6 to 8 ft  | 75         | 7 00         | 65 00                 |
| 8 to 10 ft   | I CO       | 9 00         |                       |
| Specimens, 10 to 12 ft   | 2 00       |              |                       |
| Pseud-acacia. Black or Yellow Locust.  |            |              |                       |
| 8 to 10 ft   | 50         | 4 00         |                       |
| SALISBURIA. Maidenhair Tree, or  | •          |              |                       |
| Gingko.<br>adiantifolia. 6 to 8 ft   | 50         | 4 00         |                       |
| 8 to 10 ft   | 50<br>75   | 6 00         |                       |
| SALIX. Willow.   | , ,        |              |                       |
| alba. Common White Willow.   |            |              |                       |
| 4 to 5 ft  |            | 1 50         | 10 00                 |
| 5 to 6 ft  |            | 2 00         | 15 co                 |

| CATTY                                      | Ea  | ch         | Per        | 10 | Per 100 |
|--|-----|------------|------------|----|---------|
| SALIX— caprea var. pendula. Kilmarnock     |     |            |            |    |         |
| Weeping Willow. 4 to 6 ft. 2 yr. heads     | #   | 50         | <b>#</b> 1 | 00 |         |
| elegantissima. Thurlow's Willow.           | 11- | 50         | ₩+         | 00 |         |
| 6 to 7 ft                                  |     | 30         | 2          | 50 | \$20 00 |
| pentandra. Laurel-leaved Willow.           |     | 5          |            | 0  | #       |
| 4 to 5 ft                                  |     |            | I          | 50 | 10 00   |
| 5 to 6 ft                                  |     |            | 2          | 00 | 15 00   |
| 6 to 8 ft                                  |     |            | 2          | 50 | 20 00   |
| vitellina. Golden barked Willow.           |     |            |            |    |         |
| 4 to 5 ft                                  |     |            |            | 50 | 10 00   |
| 5 to 6 ft                                  |     |            | 2          | 00 | 15 00   |
| 4 to 5 ft                                  |     | 50         | 4          | 00 |         |
| SYRINGA. Lilac.                            |     | 30         | 4          | 00 |         |
| Japonica. Japan Tree Lilac.                |     |            |            |    |         |
| 4 to 5 ft                                  |     | 40         | 3          | 00 |         |
| 5 to 6 ft                                  |     | 50         |            | 00 |         |
| Pekinensis. Chinese Lilac.                 |     | •          |            |    |         |
| 6 to 7 ft                                  |     | 60         | 5          | 00 |         |
| TAXODIUM. Deciduous Cypress.               |     |            |            |    |         |
| distichum. 4 to 5 ft                       |     | 40         | _          | 00 |         |
| 5 to 6 ft                                  |     | 50         | . 4        | СО |         |
| TILIA. Linden.                             |     |            |            |    |         |
| Americana. Basswood.                       |     | 50         | 4          | 00 |         |
| 8 to 10 ft                                 |     | 75         |            | 00 |         |
| Io to 12 ft                                | T   | 00         |            | 50 |         |
| Europæa. European Linden.                  | _   | -          | •          | 5- |         |
| 8 to 10 ft                                 |     | 75         | 6          | 00 |         |
| 10 to 12 ft                                | I   | 00         | 7          | 50 |         |
| E. var. alba. White-leaved Linden.         |     |            |            |    |         |
| 6 to 8 ft                                  |     | 75         | 6          | 00 |         |
| <b>E.</b> var. laciniata. Fern-leaved Lin- |     |            |            |    |         |
| den.                                       |     | 6.         | _          | 00 |         |
| 7 to 9 ft ULMUS. Elm.                      |     | 60         | 5          | 00 |         |
| Americana. American White Elm.             |     |            |            |    |         |
| 8 to 10 ft                                 |     | <b>6</b> 0 | 5          | 00 | 40 00   |
| 10 to 12 ft                                |     | 75         |            | 50 | 40 00   |
| 12 to 15 ft                                | 1   | 00         |            | 00 |         |
| montana. Scotch or Witch Elm.              |     |            |            |    |         |
| 8 to 10 ft                                 |     | 90         | 7          | 50 |         |
| m. var. Huntingdoni. Huntingdon            |     |            |            |    |         |
| Elm. 6 to 8 ft                             |     | 50         |            | 00 |         |
| 8 to 10 ft                                 | _   | 75         |            | (0 |         |
| TO to 12 ft                                | 1   | 00         | . 7        | 50 |         |
| VIRGILIA. See Cladrastis.                  |     |            |            |    |         |

### EVERGREEN TREES

These evergreens are all thrifty and heavily rooted, having been root-pruned and several times transplanted.

|  |     | Each | P           | er 10 | Per 100 |
|--|-----|------|-------------|-------|---------|
| ABIES. Fir.                                  | ш   |      |             |       |         |
| balsamea. Balsam Fir. 2 to 3 ft              | \$  | 40   | <b>\$</b> 3 |       | \$25 00 |
| 3 to 4 ft                                    |     | 50   | 4           | 00    |         |
| [Canadensis. Hemlock. (See Tsuga Cana-       |     |      |             |       |         |
| densis.)                                     |     |      |             |       |         |
| concolor. White Fir. 2 to 3 ft               |     |      |             | 00    |         |
| 3 to 4 ft                                    | 2   | 50   | 20          | 00    |         |
| Specimens, \$3 00 to \$5 00 each.            |     |      |             |       |         |
| Fraseri. Double Balsam Fir. 3 to 4 ft        |     | 75   | 5           | 00    |         |
| 4 to 5 ft                                    | Ι   | 00   |             |       |         |
| Nordmanniana. Nordman's Fir.                 |     |      |             |       |         |
| 18 to 24 in                                  |     | 00   |             | 50    |         |
| 2 to 2½ ft                                   | I   | 50   | 12          | 50    |         |
| 2½ to 3 ft                                   | 2   | 00   | 17          | 50    |         |
| Specimens 3 to 4 ft., \$3 oo to \$4 oo each. |     |      |             |       |         |
| BIOTA. Chinese Arborviate.                   |     |      |             |       |         |
| orientalis. var. compacta.                   |     |      |             |       |         |
| 2 to 3 ft                                    |     | 40   | 3           | 00    |         |
| 3 to 4 ft                                    |     | 50   | 4           | 00    |         |
| CHAMAECYPARIS. (See Retinospora.)            |     |      |             |       |         |
| JUNIPERUS. Juniper.                          |     |      |             |       |         |
| com. var. Hibernica. Irish Juniper.          |     |      |             |       |         |
| 2 to 2½ ft                                   |     | 30   | 2           | 50    | 20 00   |
| 3 to 4 ft                                    |     | 50   | 4           | 00    |         |
| com. var. suecica. Swedish Juniper.          |     |      |             |       |         |
| 2 to 3 ft                                    |     | 30   | 2           | 50    |         |
| 3 to 4 ft                                    |     | 50   | 4           | 00    |         |
| Virginiana. Red Cedar (twice transplanted).  |     |      |             |       |         |
| 18 to 24 in                                  |     | 25   | 2           | 00    | 15 00   |
| 24 to 30 in                                  |     | 30   | 2           | 50    | 20 00   |
| 30 to 36 in                                  |     | 50   | 4           | 00    | 30 00   |
| LARIX. See Deciduous trees.                  |     |      |             |       |         |
| PICEA. Spruce.                               |     |      |             |       |         |
| Alcockiana. Alcock's Spruce.                 |     |      |             |       |         |
| I ½ to 2 ft                                  |     | 90   | 7           | 50    |         |
| 2 ft   | I   | 00   | 9           | 00    |         |
| Engelmanni. Engelmann's Spruce.              |     |      |             |       |         |
| 18 to 24 in                                  |     | 40   | 3           | 00    |         |
| 24 to 30 in                                  |     | 60   | 5           | 00    |         |
| excelsa. Norway Spruce. 2½ to 3 ft           |     |      |             | 00    | 25 00   |
| 3 to 4 ft                                    |     | 75   | 6           | 00    | 50 00   |
| excelsa. var. inverta. Weeping Spruce.       |     |      |             |       |         |
| 2 to 3 ft                                    | 1   | 00   |             |       |         |
| polita. Tiger-tail Spruce. 2 ft              | 1   | 25   |             |       |         |
| 3 ft   | I   | 50   |             |       |         |
| pungens. Colorado Spruce.                    |     |      |             |       |         |
| 18 to 24 in                                  |     | 75   |             | 00    |         |
| 24 to 30 in                                  |     | 00   |             | 00    |         |
| 30 to 36 in                                  | 1   | 50   | 12          | 50    |         |
| p. var. glauca. Colorado Blue Spruce.        |     |      |             |       |         |
| 18 to 24 in.                                 |     | 75   |             | 00    |         |
| 24 to 30 in.                                 |     | 2 50 |             | 50    |         |
| 30 to 36 in. > Specimens                     | . 3 | 3 25 | 30          | 00    |         |
| 36 to 42 in.                                 |     | 1 00 | 35          | 00    |         |
| 42 in. J                                     |     | 5 00 |             |       |         |


|  | F)1-       | D            | <b>5</b> 0 - : |
|--|------------|--------------|----------------|
| p. var. Kosteriana. Koster's Blue Spruce.            | Each       | Per 10       | Per 100        |
| 24 to 30 in  | \$2.75     | \$25 00      |                |
| 30 to 36 in  | 2 50       | 30 00        |                |
| 36 to 42 in  | 4 50       | 40 00        |                |
| PINUS. Pine.   | 4 30       | 40 00        |                |
| Austriaca. Austrian or Black Pine.                   |            |              |                |
| 2 to 3 ft  | 50         | 4 00         | \$35 00        |
| 3 to 4 ft  | 75         | 6 00         | #JJ 00         |
| Mughus. Dwarf Mountain Pine.                         | 13         |              |                |
| 8 to 12 in   |            | 3 00         | 20 00          |
| 12 to 18 in  | 50         | 4 00         |                |
| Strobus. White Pine.                                 |            |              |                |
| 2 to 2 ½ ft  | 30         | 2 50         | 20 00          |
| 2½ to 3½ ft  | 50         | 4 00         |                |
| sylvestris. Scotch Pine.                             | _          |              |                |
| 3 to 4 ft  | 50         | 3 50         | 30 00          |
| 4 to 5 ft  | 75         | 5 00         |                |
| syl. var. aurea. A Golden-leaved form of             |            |              |                |
| Scotch Pine.   |            |              |                |
| 3 to 4 ft  | 75         | 5 00         | 45 00          |
| PSEUDO TSUGA.  |            |              |                |
| Douglasii. Douglass Spruce.                          |            |              |                |
| 3 to 4 ft  | 1 25       | 10 00        |                |
| RETINOSPORA. Japan Cypress.                          |            |              |                |
| ericoides, Heath-leaved Cypress.                     |            |              |                |
| 18 to 24 in  | 40         | 3 50         |                |
| 24 to 30 in filifera. Thread-branched Japan Cypress. | 40         | 4 50         |                |
|  | 50         | 4 00         |                |
| 18 to 24 in  | 50         | 4 00<br>5 00 |                |
| 3 to 4 ft  | 75<br>1 50 | 3 00         |                |
| Specimens 4 to 6 ft                                  | 5 00       |              |                |
| obtusa. Obtusa-leaved Japan Cypress.                 | 5 00       |              |                |
| 18 to 24 in  | 1 50       |              |                |
| o. var. nana. 10 to 12 in                            | 1 25       |              |                |
| plumosa. Plume-like Japan Cypress.                   | 5          |              |                |
| 2 to 3 ft  | 40         | 3 00         |                |
| 3 to 4 ft  | 50         | 4 00         | 35 00          |
| plumosa aurea. A golden form of plumosa.             |            |              |                |
| 2 to 2 ½ ft  | 50         | 4 00         | 35 00          |
| 2½ to 3 ftsphaeroidea. White Cedar. 6 ft             | 75         | 5 00         | 45 00          |
| sphaeroidea. White Cedar. 6 ft                       | 75         | 5 00         | •              |
| squarrosa (Veitchi). 2 to 3 ft                       | 75         | 6 00         |                |
| 3 to 4 ft  | 2 00       | 15 00        |                |
| 4 to 5 ft., specimens                                | 4 00       |              |                |
| THUYOPSIS. Cypress.                                  |            |              |                |
| dolobrata. 2 ft                                      | I 00       | 9 00         |                |
| Standishi. 3 ft                                      | I 00       | 9 00         |                |
|  |            |              |                |
| occidentalis. American Arbor Vitæ.                   | 20         | 2 50         | 20 00          |
| 2 to 3 ft  | 30<br>50   | 4 00         | 20 00          |
| 4 to 5 ft  | 75         | 6 00 -       |                |
| oc. var. aurea. Geo. Peabody's Arbor                 | 13         | 5 00         |                |
| Vitæ. 12 to 18 in                                    | 50         | 4 00         |                |
| oc. var. globosa. Globe Arbor Vitæ.                  | 5-         |              |                |
| 18 in  |            | 3 00         | 25 00          |
| 24 in.,  | 50         | 4 00         | 35 00          |
| -  | -          |              |                |

|   |  | Each          | Per 10 | )  | Per      | 100 |
|---|--|---------------|--------|----|----------|-----|
|   | oc. var. Hoveyii. Hovey's Golden Arbor   | di.           |        |    |          |     |
|   | Vitæ. 2 to 3 ft  | \$ 40         |        | 00 | \$25     | 00  |
|   | oc. var. pyramidalis. Pyramidal Arbor  | 1 00          | ,      |    |          |     |
|   | Vitæ. 2 to 2½ it   | 25            | 5 2 5  | 50 | 20       | 00  |
|   | 2½ to 3 ft   | 40            |        |    | 30       | 00  |
|   | 3 to 4 ft  | 60            | 5 6    | 00 |          |     |
|   | 2 to 2 ½ ft  |               | 3 0    | 00 | 25       | 00  |
|   | 3 to 3½ ft   | I 00          | -      |    | -        |     |
| - | TSUGA.   |               |        |    |          |     |
|   | Canadensis. Hemlock. 18 to 24 in 24 to 36 in   |               | 3 0    |    | 25<br>30 |     |
|   | 36 to 48 in  | 75            | -      |    |          | 00  |
|   | 4 to 5 ft., with balls   | 1 50          |        | 00 |          |     |
|   | FRUIT TREE   | S             |        |    |          |     |
|   |  | , .           | Per    | 10 | Per      | 100 |
| 4 | APPLES.  |               | #.     |    |          |     |
|   | Extra. 7 to 8 ft., 50 cts. each  | )             | \$4 5  |    | \$12     | 00  |
|   | First Grade. 34 in., 5 to 7 ft., 20 cts. each<br>Varieties: Arkansas Red, America, Bald  | win, B        | en     | ,- | a        |     |
| ] | Davis, Boiken, Duch. of Oldenburg, Early   | Harve         | st,    |    |          |     |
|   | Fallawater, Fameuse, Gilliflower, Golden,<br>Gravenstein, Grimes' Golden, Gideon, Giffen | Russ          | et,    |    |          |     |
|   | Hub. Nonesuch, Hendrick's Sweet, King, L   | ongfie        | ld.    |    |          |     |
|   | Maiden's Blush, Mann, McIntosh Red, Mildi  |               |        |    |          |     |
|   | son Sweet, Northern Spy, Pewaukee, Paragon   |               |        |    |          |     |
|   | Red Astrachan, R. I. Greening, Roxbury<br>Rome Beauty, Sutton Beauty, Senator, Smith     |               |        |    |          |     |
|   | Smoke House, Sons of Wine, Spitzenburg   | r. Sta        | rk.    |    |          |     |
|   | Sweet Bough, Talman Sweet, Wagener,<br>Wolf River, Yellow Bellflower, Yellow Tran        | Wealt         | hy,    |    |          |     |
|   | Wolf River, Yellow Bellflower, Yellow Tran   | ispare        | nt,    |    |          |     |
|   | York Imperial. Porter  |               | 2      | 50 |          |     |
|   | Williams Favorite  |               |        |    |          |     |
| 1 | <b>CRAB APPLES</b> . 5 to 7 ft., 25 cts. each $\dots$                                    |               | 2 (    | 00 | 15       | 00  |
|   | Hyslop, Gen. Grant, Martha, Transcend  | ent.          |        |    |          |     |
|   | STANDARD PEARS. First Class 3/4 in. and up, 5 to 7 ft., 40 cts.                          | each.         | 2 5    |    | 20       | 00  |
|   | Varieties: Anjou, Bartlett, Clairgeau,   | Clapp         | o's,   |    |          |     |
|   | Varieties: Anjou, Bartlett, Clairgeau,<br>Dana's Hovey, Dearborn Seedling, Duchess,      | Flem          | ish    |    |          |     |
|   | Beauty, Idaho, Lawrence, Seckel, Sheldon, T  | yson,         | Vt.    |    |          |     |
|   | Beauty, Winter Nellis, Wilder.   |               | 3 !    | 50 | 20       | 00  |
|   | Burre Bosc { First Grade, 40 cts. each Second Size, 30 cts. each                         |               | 2      |    | 50       | 00  |
|   | CHERRIES.  |               |        |    |          |     |
|   | First Grade. 5 to 6 ft, 40 cts. each Varieties: Black Tartarian, Early Richmon           | nd C          | 3 5    | 50 |          |     |
|   | Wood, Mercer, Montmorency, Ostheime, Re  |               |        |    |          |     |
|   | tense, Rockport, Windsor, Yellow Spanish.  |               |        |    |          |     |
|   | PLUMS.   |               |        |    |          |     |
|   | First Grade. 5 to 7 ft., 40 cts. each Abundance, Beauty of Naples, Bradshaw, 1           | Rurba         | 3 !    | 50 |          |     |
|   | Damson, Lombard, Moore's Arctic, Red Jun   |               |        |    |          |     |
| - | Claude, Satsuma, Wickson.  |               |        |    |          |     |
|   | PEACHES. 34 in. and up, 15 cts. each   | ,             | I 2    | 20 | 10       | 00  |
|   | Champion, Crawford's Early, Crawford<br>Crosby, Elberta, Foster, Mountain Rose, Ol       | s La<br>d Miv | ne,    |    |          |     |
|   | Stevens' Rareripe, Stump, Wheatland.   | *****         | ,      |    |          |     |
|   |  |               |        |    |          |     |

| QUINCES. 3 to 4 ft., 30 cts. each   |   | 50 | Per  | 100      |
|---|---|----|------|----------|
| SMALL FRUITS  |   |    |      |          |
| GRAPES. 2 and 3 yrs., 20 cts. each<br>Except Campbell's Early, Green Mountain and<br>McPike which are 25, 35 and 40 cts. each, respectively.  | I | 50 | \$12 | 00       |
| Brighton, Campbell's Early, Concord, Delaware, Green Mountain, Hartford, McPike, Moore's Diamond, Moore's Early, Niagara, Pocklington, Salem, Vergennes, Wilder, Worden.  CURRANTS. 2 yrs., No. 1 |   | 75 | 5 3  | 00       |
| Tree Currants. Red and White  | т | 00 | 6    | 00       |
| GOOSEBERRIES Downing. 2 yrs   |   | 00 |      | 00       |
| Houghton. 2 yrs   |   |    | 5    | 00       |
| Industry. 4 yrs. selected   | I | 50 | I 2  | 00       |
| Whitesmith 4 yrs. selected  | 2 | 00 | 15   | 00       |
| Gregg, Loudon, Marlboro, Souhegan  BLACKBERRIES. Agawam, Erie, Snyder, Wachu-   |   | 50 | 2    | 50       |
| ASPARAGUS. Conover's Colossal. \$8 00 per M   |   | 50 |      | 50<br>00 |
| RHUBARB. Myatt's 20 cts. each   | I | 50 | 10   | 00       |

## LOCATION OF BAY STATE NURSERIES.

NORTH ABINGTON is located eighteen miles south of Boston, half way from Boston to Plymouth Rock, on the Old Colony Division of the N. Y., N. H. & H. R. R. Trains leave the South Union Station for North Abington about every hour during the day.



Commonwealth of Massachusetts.

### STATE BOARD OF AGRICULTURE.

Official Certificate No. 32

Boston, Aug. 27, 1904.

TO WHOM IT MAY CONCERN.

This is to Certify that I have this twenty-seventh day of August, 1904, completed the dispection of the nursery stock of the Bay State Nurseries (W. H. Wyman, Prop't) grown at North Abington and Rockland, State of Massachusetts, and find it to be apparently free from the Jan José Scale and other injurious insects and diseases which might be transferred on Nursery Stock from the Nursery to the orchard or garden.

This certificate is good until July 1, 1905.

(Signed) H. T. FERNALD, Inspector.



为政协